



**KOPOS KOLÍN a.s.**  
**Havlíčková 432**  
**CZ – 280 94 Kolín IV**

# EU DECLARATION OF CONFORMITY

## No. 3A-EU-21/20-06

In accordance with EU directive 2014/35/EU as amended


We, **KOPOS KOLÍN a. s.**  
 Havlíčkova 432  
 280 94 Kolín IV  
 Czech Republic  
 IČ: 61672971  
 DIČ: CZ61672971

declare under our sole responsibility that  
 the product/type: **Electroinstallation pliable conduit LPE-x (series EN) and accessories**  
**2316E/LPE-1 to 2363/LPE-1**  
**2316E/LPE-2 to 2363/LPE-2**

manufacturer: **KOPOS KOLÍN a.s. Havlíčkova 432, 280 94 Kolín IV, Czech Republic**  
 object of the declaration: The electroinstallation pliable pipes are intended for installation to the distribution of low voltage. Pipes LPE-1 are suitable for direct monolithic concreting or under the parget.  
 Pipes LPE-2 are suitable for installing into prefabricated concrete elements.  
 Temperature resistance: -25°C to +90°C.  
 Mechanical resistance: LPE-1 320N/5cm, LPE-2 125N/5cm.

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation, other legislation and regulations:

Regulations Of the European Union	Government Regulations	Standards	Certificates and Test Reports	Other technical specification
2014/35/EU - LVD	Law No. 90/2016 Coll. as amended  Government Regulation No. 118/2016 Coll. as amended	ČSN EN 61386-1 ed. 2:09 including amendments (EN 61386-1:08 including amendments) ČSN EN 61386-22:04 including amendments (EN 61386-22:02 including amendments) (IEC 61386-1:2008, IEC 61386-22:2002)  TP-KO-02-11 TP-KO-03-11	Test Report No. 704290-01/01 of 5.1.2018  Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Czech Republic	TP-KO-02/11 TP-KO-03/11
X	X	ČSN EN 61386-1 ed. 2:09 including amendments (EN 61386-1:08 including amendments) ČSN EN 61386-22:04 including amendments (EN 61386-22:02 including amendments) (IEC 61386-1:2008, IEC 61386-22:2002)	Internal tests	Products: 2320/LPE-1_UAH50 2325/LPE-1_UAH50 2332/LPE-1_UAH50 2340/LPE-1_UAH50  Meet min. to 450N / 5cm for compression.
X	X	ČSN EN 61386-1 ed. 2:09 including amendments (EN 61386-1:08 including amendments)	Internal tests	Products: 2320/LPE-1_HHH26 2320/LPE-1_HHH42 2320/LPE-1_HHH85 Meet min. to



KOPOS KOLÍN a.s.  
Havlíčková 432  
CZ – 280 94 Kolín IV

		CSN EN 61386-22:04 including amendments (EN 61386-22:02 including amendments) (IEC 61386-1:2008, IEC 61386-22:2002)		550N / 5cm for compression.
Regulation 1907/2006 - REACH				Safety data sheets for used materials

By fulfilling the conditions in accordance with these regulations was placed on the product CE marking.

Conformity assessment module: **MODUL A: Internal production control**

**Technical documentation of products:**

- assembly instructions
- Datasheet
- Catalog for products freely available on <http://www.kopos.cz/cs/katalogy>
- Internal documents

KOPOS KOLÍN a.s. company is certificated according to the standard ISO 9001:2015, ISO 14001:2015 and ISO 50001:2011 and according to the National program „Safety Enterprise“.

Signed for KOPOS KOLÍN a.s.

Place of issue: Kolín, Czech Republic  
Date of issue: 8.6.2020

  
Ing. Jana Dejmková  
Management representative for QMS

**KOPOS KOLÍN a.s.**  
ÚSEK ŘÍZENÍ SYSTÉMU JAKOSTI



KOPOS KOLÍN a.s.  
Havlíčková 432  
CZ – 280 94 Kolín IV

Enclosure No. 1 to EU Conformity Declaration No. 3A-EU-21/20-06

### Electroinstallation pliable conduit LPE-x (series EN) and accessories

(-25°C to +90°C)

Materialspreading flame

ČSN EN 61386-1 ed.2

(IEC 61386-1)

ČSN EN 61386-22

(IEC 61386-22)

#### Electroinstallation pliable type:

TP-KO-02/11	TP-KO-03/11
<b>320 N</b>	<b>125 N</b>
2316E/LPE-1	2316E/LPE-2
2320/LPE-1	2320/LPE-2
2325/LPE-1	2325/LPE-2
2332/LPE-1	2332/LPE-2
2340/LPE-1	2340/LPE-2
2350/LPE-1	2350/LPE-2
2363/LPE-1	2363/LPE-2

couplers:	0216E/1 - 0263/1
pliable plug:	1716E T - 1763 T
joint plug:	1716E S - 1763 S
transition couplers from dimension 20 on 16:	0206E/1
transition couplers from dimension 20 on 16:	0207E/1
pull-out wire:	D

**KOPOS KOLÍN a.s.**  
ÚSEK ŘÍZENÍ SYSTÉMU JAKOSTI